



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/663,814	09/17/2003	Michael E. Caban	38763.1540	4052
28765	7590	02/24/2006	EXAMINER	
WINSTON & STRAWN LLP 1700 K STREET, N.W. WASHINGTON, DC 20006			NGUYEN, ANTHONY H	
			ART UNIT	PAPER NUMBER
			2854	

DATE MAILED: 02/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

H.A

<b>Office Action Summary</b>	<b>Application No.</b> 10/663,814	<b>Applicant(s)</b> CABAN ET AL.	
	<b>Examiner</b> Anthony H. Nguyen	<b>Art Unit</b> 2854	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 05 December 2005.
- 2a) ☐ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1,3-7,9-12,21,23-30,32-34,36-38 and 40-44 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1,3-7,9-12,21,23-30,32-34,36-38 and 40-44 is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

This application is in condition for allowance except for the following formal matters:

The color drawings/Photographs have not been approved.

### ***Allowable Subject Matter***

The following is an examiner's statement of reasons for allowance:

The primary reason for allowance claims 1 and 7 is that the prior art of record does not teach a document and a method of producing a document having a substrate and a debris-removing coating associated with the second face of the substrate to remove printer debris during passage of the document through a printer for printing the first label on the first face of the substrate as argued by applicant (the Remarks, the paragraph bridging pages 8 and 9).

The primary reason for allowance claims 21 and 42 is that the prior art of record does not teach the step of passing the document with the first label releasably adhered to the first face of the substrate through the printer as argued by applicant (the Remarks, page 9, the third paragraph).


Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A SHORTENED STATUTORY PERIOD FOR RESPONSE TO THIS ACTION IS SET TO EXPIRE 2 MONTHS FROM THE DATE OF THIS LETTER.

Art Unit: 2854

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony Nguyen whose telephone number is (571) 272-2169. The examiner can normally be reached daily from 9 AM to 5PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld, can be reached on (571) 272-2168.

The fax phone number for this Group is (571) 273-8300.

A handwritten signature in cursive script that reads "Anthony Nguyen".

Anthony Nguyen

2/17/2006

Patent Examiner

Technology Center 2800